Practice: 338 - Prescribed Burning Scenario: #1 - Understory Burn

Scenario Description:

Applying a prescribed burn according to designed burn plan and NRCS Prescribed Burning (338) standard and specifications. An Understory burn can consume debris or leaf litter under controlled conditions that otherwise could burn uncontrollably and devastatingly. Prior to burning unit may need to be treated to reduce slash height and quantities. Burn should be cool enough to not cause mortality to residual stand but also must reduce litter and debris. Burned firebreaks used to achieve total firebreak width are part of these burns. (Constructed firebreak cost is not included in cost of burn. Refer to Firebreak (394) standard and cost scenarios)

Before Situation:

Light slash accumulation in a open forest stand. Leaf litter and debris throughout stand. Small seedlings of various quantities may be present.

After Situation:

Litter, debris and slash are consumed, small seedlings may be killed during active burning. Residual larger trees have little to no scorching. Post treatment fire danger is significantly reduced.

Scenario Feature Measure: Acres planned

Scenario Unit: Acre

Scenario Typical Size: 320

Scenario Cost: \$3,323.12 Scenario Cost/Unit: \$10.38

simultaneously.

Cost Details (by catego		Price				
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$39.91	8	\$319.28
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$32.97	16	\$527.52
Water tank, portable		Portable water tank transported in a pick up truck. Typically with 200 gallon capacity includes tank with pump, hose and sprayer. Does not include the pickup truck. Equipment only.	Hour	\$2.77	8	\$22.16
Trailer, water tank		Mobile 5,000 gal water tank mounted on a trailer. Equipment only. Does not include towing equipment.	Hour	\$21.50	8	\$172.00
Labor						
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$32.40	12	\$388.80
Specialist Labor		Labor requiring a specialized skill set: Includes Agronomists, Foresters, Biologists, etc. to provide additional technical information during the planning and implementation of the practice. Does not include NRCS or TSP services.	Hour	\$99.77	8	\$798.16
Skilled Labor		Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc.	Hour	\$27.06	32	\$865.92
Materials						
Fuel, ignition fuel mixture		Mixture of gasoline and diesel for ignition of prescribed burns. Materials only.	Gallon	\$3.82	20	\$76.40
Mobilization	•					
Mobilization, very small equipment		Equipment that is small enough to be transported by a pick- up truck with typical weights less than 3,500 pounds. Can be multiple pieces of equipment if all hauled	Each	\$76.44	2	\$152.88

Scenario: #2 - Level Terrain, Herbaceous Fuel Non-Volatile

Scenario Description:

Applying a prescribed burn according to designed burn plan and NRCS Prescribed Burning (338) standard and specifications in order to control undesirable species, improve wildlife habitat, improve plant productivity and/or quality, facilitate grazing distribution and maintain ecological processes. This scenario is based on a burn area of less than 320 acres and applies under the following conditions: where the terrain of the majority of the area to be burned <15% slopes with herbaceous and/or low volatile woody fuel with no high volatile fuels. Burned firebreaks used to achieve total firebreak width are part of these burns. (Constructed firebreak cost is not included in cost of burn. Refer to Firebreak (394) standard and cost scenarios)

Before Situation:

Desirable plant composition is lacking due to reduced plant vigor, invasive species or improper livestock distribution.

After Situation:

Desirable plant composition is restored, plant vigor improved and invasive species reduced. Forage production and quality for livestock and /or wildlife is improved.

Scenario Feature Measure: Acres planned

Scenario Unit: Acre

Scenario Typical Size: 320

Scenario Cost: \$2,907.82 Scenario Cost/Unit: \$9.09

Cost Details (by catego	• •			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Acquisition of Technical Kno	owledge					
Training, Workshops	294	Educational seminar or series of meetings emphasizing interaction and exchange of information among a usually small number of participants.	Each	\$41.42	1	\$41.42
Equipment/Installation						
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$32.97	16	\$527.52
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$39.91	16	\$638.56
Water tank, portable	1602	Portable water tank transported in a pick up truck. Typically with 200 gallon capacity includes tank with pump, hose and sprayer. Does not include the pickup truck. Equipment only.	Hour	\$2.77	16	\$44.32
Trailer, water tank	1598	Mobile 5,000 gal water tank mounted on a trailer. Equipment only. Does not include towing equipment.	Hour	\$21.50	8	\$172.00
Labor			•	·		•
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$32.40	12	\$388.80
Skilled Labor	230	Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc	Hour	\$27.06	32	\$865.92
Materials						
Fuel, ignition fuel mixture	1596	Mixture of gasoline and diesel for ignition of prescribed burns. Materials only.	Gallon	\$3.82	20	\$76.40
Mobilization						
Mobilization, very small equipment	1137	Equipment that is small enough to be transported by a pick- up truck with typical weights less than 3,500 pounds. Can be multiple pieces of equipment if all hauled simultaneously.	Each	\$76.44	2	\$152.88

Scenario: #3 - Level Terrain, Volatile or woody fuels

Scenario Description:

Applying a prescribed burn according to designed burn plan and NRCS Prescribed Burning (338) standard and specifications in order to control undesirable species, improve wildlife habitat, improve plant productivity and/or quality, facilitate grazing distribution and maintain ecological processes. This scenario is based on a burn area of less than 320 acres and applies under the following conditions: where the terrain of the majority of the area to be burned <15% slopes with herbaceous and low volatile woody fuel with high volatile woody fuels less than 4ft tall. Burned firebreaks used to achieve total firebreak width are part of these burns. (Constructed firebreak cost is not included in cost of burn. Refer to Firebreak (394) standard and cost scenarios)

Before Situation:

Desirable plant composition is lacking due to reduced plant vigor, invasive species or improper livestock distribution.

After Situation:

Desirable plant composition is restored, plant vigor improved and invasive species reduced. Forage production and quality for livestock and /or wildlife is improved.

Scenario Feature Measure: Acres planned

Scenario Unit: Acre

Scenario Typical Size: 320

Scenario Cost: \$3,792.84 Scenario Cost/Unit: \$11.85

Cost Details (by catego Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Acquisition of Technical Kno		Component Description	<u> </u>	(\$/unit)	Quantity	COSC
Training, Workshops		Educational seminar or series of meetings emphasizing interaction and exchange of information among a usually small number of participants.	Each	\$41.42	1	\$41.42
Equipment/Installation				•		
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$32.97	16	\$527.52
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$39.91	16	\$638.56
Water tank, portable	1602	Portable water tank transported in a pick up truck. Typically with 200 gallon capacity includes tank with pump, hose and sprayer. Does not include the pickup truck. Equipment only.	Hour	\$2.77	16	\$44.32
Trailer, water tank	1598	Mobile 5,000 gal water tank mounted on a trailer. Equipment only. Does not include towing equipment.	Hour	\$21.50	8	\$172.00
Labor						
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$32.40	12	\$388.80
Skilled Labor	230	Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc.	Hour	\$27.06	64	\$1,731.84
Materials						
Fuel, ignition fuel mixture		Mixture of gasoline and diesel for ignition of prescribed burns. Materials only.	Gallon	\$3.82	25	\$95.50
Mobilization				•		•
Mobilization, very small equipment		Equipment that is small enough to be transported by a pick- up truck with typical weights less than 3,500 pounds. Can be multiple pieces of equipment if all hauled simultaneously.	Each	\$76.44	2	\$152.88

Scenario: #4 - Steep Terrain, Herbaceous Fuel

Scenario Description:

Applying a prescribed burn according to designed burn plan and NRCS Prescribed Burning (338) standard and specifications in order to control undesirable species, improve wildlife habitat, improve plant productivity and/or quality, facilitate grazing distribution and maintain ecological processes. This scenario is based on a burn area 320 acres and applies under the following conditions: where the terrain of the majority of the area to be burned >15% slopes with herbaceous and/or low volatile woody fuel with no high volatile fuels. Burned firebreaks used to achieve total firebreak width are part of these burns. (Constructed firebreak cost is not included in cost of burn. Refer to Firebreak (394) standard and cost scenarios)

Before Situation:

Desirable plant composition is lacking due to reduced plant vigor, invasive species or improper livestock distribution.

After Situation:

Desirable plant composition is restored, plant vigor improved and invasive species reduced. Forage production and quality for livestock and /or wildlife is improved.

Scenario Feature Measure: Acres planned

Scenario Unit: Acre

Scenario Typical Size: 320

Scenario Cost: \$4,999.04 Scenario Cost/Unit: \$15.62

Cost Details (by catego	• •			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Acquisition of Technical Kno	owledge					
Training, Workshops	294	Educational seminar or series of meetings emphasizing interaction and exchange of information among a usually small number of participants.	Each	\$41.42	1	\$41.42
Equipment/Installation						
Water tank, portable		Portable water tank transported in a pick up truck. Typically with 200 gallon capacity includes tank with pump, hose and sprayer. Does not include the pickup truck. Equipment only.	Hour	\$2.77	16	\$44.32
Trailer, water tank	1598	Mobile 5,000 gal water tank mounted on a trailer. Equipment only. Does not include towing equipment.	Hour	\$21.50	8	\$172.00
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$39.91	16	\$638.56
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$32.97	24	\$791.28
Labor	·				•	•
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$32.40	24	\$777.60
Skilled Labor	230	Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc	Hour	\$27.06	64	\$1,731.84
Materials						
Fuel, ignition fuel mixture	1596	Mixture of gasoline and diesel for ignition of prescribed burns. Materials only.	Gallon	\$3.82	25	\$95.50
Mobilization				•	•	
Mobilization, very small equipment		Equipment that is small enough to be transported by a pick- up truck with typical weights less than 3,500 pounds. Can be multiple pieces of equipment if all hauled simultaneously.	Each	\$76.44	2	\$152.88
Mobilization, medium equipment	1139	Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds.	Each	\$276.82	2	\$553.64

Scenario: #5 - Steep Terrain, Volatile or Woody fuels

Scenario Description:

Applying a prescribed burn according to designed burn plan and NRCS Prescribed Burning (338) standard and specifications in order to control undesirable species, improve wildlife habitat, improve plant productivity and/or quality, facilitate grazing distribution and maintain ecological processes. This scenario is based on a burn area of 320 acres and applies under the following conditions: where the terrain of the majority of the area to be burned >15% slopes with herbaceous and low volatile woody fuel with high volatile woody fuels greater than 4ft tall, but fire is still a ground fire carried by fine fuel. Burned firebreaks used to achieve total firebreak width are part of these burns. (Constructed firebreak cost is not included in cost of burn. Refer to Firebreak (394) standard and cost scenarios)

Before Situation:

Desirable plant composition is lacking due to reduced plant vigor, invasive species or improper livestock distribution.

After Situation:

Desirable plant composition is restored, plant vigor improved and invasive species reduced. Forage production and quality for livestock and /or wildlife is improved.

Scenario Feature Measure: Acres planned

Scenario Unit: Acre

Scenario Typical Size: 320

Scenario Cost: \$6,242.38 Scenario Cost/Unit: \$19.51

Cost Details (by categor Component Name	• •	Component Description	Unit	Price	Quantity	Cost
Acquisition of Technical Kno		Component Description	Oilit	(\$/unit)	Quantity	COSC
Training, Workshops	294	Educational seminar or series of meetings emphasizing interaction and exchange of information among a usually small number of participants.	Each	\$41.42	1	\$41.42
Equipment/Installation						
Trailer, water tank	1598	Mobile 5,000 gal water tank mounted on a trailer. Equipment only. Does not include towing equipment.	Hour	\$21.50	8	\$172.00
Water tank, portable		Portable water tank transported in a pick up truck. Typically with 200 gallon capacity includes tank with pump, hose and sprayer. Does not include the pickup truck. Equipment only.	Hour	\$2.77	16	\$44.32
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$32.97	48	\$1,582.56
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$39.91	16	\$638.56
Labor						
Skilled Labor	230	Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc.	Hour	\$27.06	80	\$2,164.80
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$32.40	24	\$777.60
Materials						
Fuel, ignition fuel mixture		Mixture of gasoline and diesel for ignition of prescribed burns. Materials only.	Gallon	\$3.82	30	\$114.60
Mobilization						
Mobilization, very small equipment		Equipment that is small enough to be transported by a pick- up truck with typical weights less than 3,500 pounds. Can be multiple pieces of equipment if all hauled simultaneously.	Each	\$76.44	2	\$152.88
Mobilization, medium equipment	1139	Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds.	Each	\$276.82	2	\$553.64